

SKIN YOGA REFUELING & HYDRATING GELTRAP™



- Light blue Geltrap™
- Packaging: Tube
- Look and feel renewed, it's a yoga session for your skin!
- The Geltrap™ technology creates the perfect light and fresh emulsion.
- SEPIMAT™ H 10 is easy to disperse in oils and gives a soft powdery finish.
- SEPITONIC™ M3 energizes the skin!
- AQUAXYL™ hydrates and restructures the skin.



EU07299 - 1404

Formula

Formula		
A	Aqua / Water SEIPLUS™ 400 AQUAXYL™ Blue Colorant	Qsp 100% 1.00% 3.00% Qs
B	EASYNOV™ Phenoxyethanol and Ethylhexylglycerin LANOL™ 99 SEPIMAT™ H 10 Parfum / Fragrance	2.50% 1.00% 6.50% 2.00% 0.30%
C	SEPITONIC™ M3	1.00%

Procedure

Pilot (TRIMIX) – 5 kg

Weigh the water, add the polymer and homogenize. Introduce the colorant, then AQUAXYL™. Prepare phase B and add it under soft agitation 5 min. When the emulsion W/O is formed, refine it with 2 successive operations: 5 min with defloculating stirrer at 500 rpm; then 5 min more at 1000 rpm. Add the SEPITONIC™ M3, homogenize 5 min at 500 rpm. Add the phase D, homogenize at 500 rpm, 5 min more.

Characteristics

Appearance	Light blue Geltrap™
Viscosity 1M at RT	24 633 mPa.s Brookfield S4S6
Viscosity 1M at 45° C	32 000 mPa.s Brookfield S4S6
Viscosity recovery at RT (after 1M at 45° C)	24 000 mPa.s Brookfield S4S6
Stability*	Stable M1 at TA, 45° C, 4° C

Raw materials from SEPPIC

AQUAXYL™

Xylitylglucoside and Anhydroxylitol and Xylitol

AQUAXYL™ moisturizes and restructures the skin by harmonizing the hydric flow of the skin. Water reserves are instantly boosted, water circulation is improved in all skin layers and water loss is reduced (in vitro and in vivo tests prove this efficacy). It's mechanism of action has been validated by cosmetogenomics. Ecocert and Natrue approved.

EASYNOV™

Octyldodecanol and Octyldodecyl Xyloside and PEG-30 Dipolyhydroxystearate

Liquid lipophilic emulsifier. EASYNOV™ realizes emulsions with an internal gelled aqueous phase extra-rich in water by a cold process with gentle stirring: the GELTRAP™ emulsions. This novel formulation form offers surprising textures, marrying freshness and cushion effect.

LANOL™ 99

Isononyl Isononanoate

Agent émollient.

SEPIMAT™ H 10

Methyl Methacrylate Crosspolymer and Paraffinum Liquidum and Silica

SEPIMAT™ H10 is a hollow lipodispersible powder with excellent absorbent and matifying properties. Its hemispherical shape makes it easy to press and perfect for loose, hot poured and pressed powder applications.

SEIPLUS™ 400

Polyacrylate-13 and Polyisobutene and Polysorbate 20

Thickening agent in liquid form ready to use (no predispersion or neutralization). SEIPLUS™ 400 gives an improved electrolyte resistance. It also allows a good pick-up and guarantees a good spreadability and is compatible with a wide range of actives over a wide pH range (3 to 12).

SEPITONIC™ M3

Magnesium Aspartate and Zinc Gluconate and Copper Gluconate

Cellular chrono-energizing and booster of active ingredients with an anti-radical action.

Other raw materials...

- Phenoxyethanol and Ethylhexylglycerine: **Euxyl PE 9010 (Schülke & Mayr)**
- Blue Colorant : **C.I. 74180** = Blue W-6004 en solution à 1% - **WACKER**
- Parfum / Fragrance : **Tonique (MANE)**