


**98.0 % Natural Origin \***

 White O/W emulsion  
Packaging: tube

This minimalist care provides a pleasant sensation of comfort during application and leaves a delicate powdery afterfeel.

**EMOGREEN™ C69** brings a soft and comfortable skin feel, with a powdery and non-sticky finish.

**MONTANOV™ 202** creates a rich and white emulsion and maintains the skin hydration thanks to liquid crystals promotion!

**SEPIPLUS™ 400** thickens the formula and stabilizes oily phase. It also provides a silicone-like gliding effect during application.

*A real sensation of well-being with only few ingredients:  
“Less is more ! “*



\* Natural origin content according to ISO 16128.

All information contained herein is intended merely to demonstrate the utility of SEPPIC products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application. All information contained in this specific technical documentation is believed to be accurate and has been set up by SEPPIC according to its own described methods and processes. SEPPIC however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation since the condition of use are beyond its control. SEPPIC customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it complies with any regulatory status.

### Formula

A	Aqua/Water	Up to 100%
B	<b>MONTANOV™ 202</b> <b>EMOGREEN™ C69</b>	<b>3.00%</b> <b>10.00%</b>
C	<b>SEPIPLUS™ 400</b>	<b>0.50%</b>
D	Phenoxyethanol & Ethylhexylglycerin Phenylpropanol and Propanediol and Caprylyl Glycol and Tocopherol	1.00% 0.50%

### Procedure

#### PILOT - 6 kg - BECOMIX - ROTOR STATOR

Heat up the phases A and B separately at 85°C. Add **SEPIPLUS™ 400** into the phase A under stirring. Blend until obtaining an homogeneous gel. Add slowly the phase B into the mix (A+C) under stirring and vacuum at 85°C. Remove vacuum and keep stirring until a smooth emulsion obtention (4min). Cool down to 30°C, then add the phase D. At room temperature, adjust the pH.

### Characteristics

Appearance	White fluid emulsion
pH	6.2
Viscosity 1M at RT	24000 mPa.s Brookfield S4S6
Viscosity 1M at 45°C	17000 mPa.s Brookfield S4S6
Viscosity recovery at RT (after 1M at 45°C)	34000 mPa.s Brookfield S4S6
Stability*	Stable after 1M at RT, 45°C and after freeze-thaw cycle

\* Our stability protocols are available at your request.

## Raw materials from SEPPIC

### MONTANOV™ 202

#### Arachidyl Alcohol and Behenyl Alcohol and Arachidyl Glucoside

Glucolipid emulsifier derived from vegetable origin. Promoter of liquid crystals, it plays a role in maintaining skin moisturization over time. Thanks to liquid crystals which contain water, MONTANOV™ 202 helps to keep skin moisturized. Ecocert and Natrue approved.

### EMOGREEN™ C69

#### C15-19 Alkane (Plant-based & Renewable) and Coco-Caprylate/Caprates

EMOGREEN™ C69 is a bio-based, crystal clear, extra-fluid and readily biodegradable emollient. It is also COSMOS approved and Natrue certified. Imagine a light and soft touch emulsion: after a medium playtime, EMOGREEN™ C69 wraps your skin in a soft, comfortable and powdery veil.

### SEPIPLUS™ 400

#### Polyacrylate-13 and Polyisobutene and Polysorbate 20

Thickening agent in liquid form ready to use (no predispersion or neutralization). SEPIPLUS™ 400 gives an improved electrolyte resistance. It also allows a good pick-up and guarantees a good spreadability and is compatible with a wide range of actives over a wide pH range (3 to 12).

## Other raw materials...

- Schülke & Mayr

Phenoxyethanol & ethylhexylglycerin: **EUXYL PE9010**

Phenylpropanol and propanediol and caprylyl glycol and tocopherol: **SENSIVA PA40**