



# AS40215 | 2 WAYS WRINKLE FIGHT SOLID CREAM

Use dry or after shower still wet or dilute with a toner



Wax



NATURALITY PROFILE according to ISO 16128 norm



Solid Concept

Can be used with and without water  
Have FUN!

<b>A</b>	<b>EMOGREEN™ L19</b>	<b>26.00%</b>
	<b>MONTANOV™ L</b>	<b>5.00%</b>
	C10-18 Triglyceride	12.00%
	Glyceryl Behenate	10.00%
	Pentaerythrityl tetrabeheenate	8.00%
<b>B</b>	Hydrogenated Styrene/isoprene Copolymer	1.60%
	<b>SEPIlift™ DPHP</b>	<b>1.00%</b>
<b>C</b>	Lithospermum Erythrorhizon	0.10%
	Butylene Glycol	10.00%
<b>D</b>	<b>SEPINOV™ EMT 10</b>	<b>2.40%</b>
	<b>SEPIMAX™ ZEN</b>	<b>0.60%</b>
	Pentylene Glycol	2.00%
<b>E</b>	<b>AQUAXYL™</b>	<b>5.00%</b>
	<b>CODIVALANET™ BG PF</b>	<b>2.00%</b>
	<b>HYDRALIXIR™ LD</b>	<b>Up to 100%</b>
<b>Fragrance</b>	<b>0.10%</b>	

**Pink solid wax / Packaging:** stick or jar

**pH (1:3 water dilution):** 4.6/ **VISCOITIES:** 1M at RT: NA

**Recovery at RT (after 1M at 45°C):** NA.

**STABILITY:** M1 at RT, 45°C, -18°C and cycles -5°C/+40°C.

**FORMULATION ADVICES** /Weigh phase A and heat it to 90°C till uniform, homogenize it 4000rpm 2 minutes. Mix phase C and stir till uniform, And heat it to 80°C then add phase D and stir it until uniform. Add phase B to phase A, mix well . Add heated phase C+D to phase A+B , homogenize at 4000 rpm for 3 minutes. Add phase E, stir 5 minutes until uniform, fill in to the moulds at around 70-75°C.

**Waterless! Solid cream with melting balm texture for fight against first wrinkle.**

## EMOGREEN™ L19 (C15-19 Alkane renewable)

EMOGREEN™ L19 is a non polar and biodegradable, bio-sourced emollient. It's THE alternative to silicone oils. This high purity vegetable alkane is conformed to Cosmos and Natrue (certification on going). It give a fresh and gliding touch, with a soft afterfeel.

## MONTANOV™ L (C14-22 Alcohols and C12-20 Alkyl Glucoside)

Glucopid emulsifier in harmony with nature. MONTANOV™ L is well-suited to formulate different textures (from sprayable to butter cream) no matter the nature or the quantity of fatty phase used. It stabilizes emulsions, and has a strong moisturizing power since it promotes liquid crystals which prevent the skin from dehydration.

## SEPIMAX ZEN™ (Polyacrylate Crosspolymer-6)

Powder polymer with a MAXIMUM resistance to electrolytes thanks to its high associative behavior. Stable from pH 2 to 8, it enables the creation of formulas with a specific skin feeling, included foaming formulas: rich, velvety and elegant.

## SEPINOV™ EMT 10 (Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer)

Pre-neutralized powder polymeric thickener on a wide pH range (3-12). It provides also excellent oil stabilizing property even in presence of a high percentage of oily phase. It imparts satiny and fresh skin feel. It can thicken polycols and make anhydrous gels.

## AQUAXYL™ (Xylitylglucoside & Anhydroxyllitol & Xylitol)

AQUAXYL™ moisturizes and restructures the skin by harmonizing the hydric flow of the skin. Water reserves are instantly boosted and water loss is reduced (in vitro and in vivo tests prove this efficacy).

## CODIAVELANET™ BG PF (Aqua/Water and Butylene Glycol and Codium Tomentosum Extract)

Water soluble active extracted from "velvety alga" to facilitate high hydration by its richness in marine sugars.

## HYDRALIXIR™ LD (Aqua/Water - Laminaria Digitata Extract)

Cellular water from Laminaria digitata (algae: organic farming / ethical & sustainable harvest): an eco-designed-by-product, resulting from an energy efficient process (gentle drying). A natural alternative to replace a part of the freshwater used in cosmetic formulations.

## SEPIlift™ DPHP (Dipalmitoyl Hydroxyproline)

SEPIlift™ DPHP improves lipstick spreadability and provides comfort wearing on lips. A breakthrough in the field of lipstick technology: botanical hydroxyproline vectorized in lipophilic form. An anti-wrinkle ingredient, SEPIlift™ DPHP moisturizes, redesigns lips and reduces the appearance of fine lines (with immediate and long-term effects), leaving lips softer, better moisturized and ideally restructured so they appear fuller (proven in vivo on 30 volunteers). Glamour effect guaranteed. Eoccert and Natrue approved.

**ADDITIONAL INGREDIENTS:** Hydrogenated styrene/isoprene copolymer; Elamera BI THIN 402 ( KRATON C10-18 Triglyceride); DUB CIRE H1 (DUBIOS) /Glyceryl Behenate ; DUB BG (DUBOIS)/Pentaerythrityl tetrabeheenate; DUB PTB (Stearinerie Dubois) /Pentylene Glycol; Microcare Emollient PTG/ Fragrance: 86446218 (Givaudan)